

15-121 Fall 2022 Quiz 3

Up to 20 minutes. Show your work. No calculators, no notes, no books, no computers, no other people.

1. (2 points) **Short Answer.** In just a few words, what's the difference between `public` and `private` when applied to instance variables?

2. (6 points) **Code Tracing:** Indicate what the following program prints. Place your answer (and nothing else) in the box under the code.

```
public class Quiz3CT {
    private String[] hey = { "fox", "cat", "dog" };
    private int jude;

    public Quiz3CT(int a, int b) {
        int t = 0;
        for (int i = a; i < b + 1; i++) {
            t += i / 3;
        }
        this.jude = t;
        System.out.println("W: " + t);
    }

    public void tweak() {
        this.jude = this.jude % hey.length;
    }

    public String toString() {
        System.out.println("D: " + this.jude);
        return this.hey[jude];
    }

    public static void main(String[] args) {
        Quiz3CT a = new Quiz3CT(5, 10);
        a.tweak();
        System.out.println(a);
    }
}
```

### 3. Free Response

Consider the following skeleton code:

```
public class StringList {
    private String[] strArr;
    private int numItems;

    public StringList() {
        this.strArr = new String[10];
        this.numItems = 0;
    }

    /**
     * Adds `item` to the end of the list. If the list has space, then it simply
     * adds the item. If the list is full, then it first resizes it, making it twice
     * as large as before, then adds the new item. Ensures numItems is updated
     * appropriately.
     *
     * @param item The item to add to the list
     */
    public void append(String item) {
        // You will write this code
    }

    /**
     * Rotates all the elements in the array one position to the right.
     *
     * Example: if the array before the call to rotateRight is ["a", "b", "c"] it
     * is ["c", "a", "b"] after the call
     */
    public void rotateRight() {
        // You will write this code
    }

    /**
     * Rotates all the elements in the array n positions to the right.
     *
     * Example: if the array before the call to rotateRight(2) is ["a", "b", "c"]
     * it is ["b", "c", "a"] after the call
     */
    public void rotateRight(int n) {
        // You will write this code
    }
}
```

The question continues on the next page.

(a) (5 points) Write the `append` method specified above.

(b) (5 points) Write the `rotateRight()` method specified above.

(c) (2 points) Write the `rotateRight(int n)` method specified above. You may assume that you have a working implementation of `rotateRight()`, even if yours does not work.